

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/813,306	03/21/2001	Osamu Kasono	040894-5644	1542
9629 75	90 01/28/2004		EXAMINER	
MORGAN LEWIS & BOCKIUS LLP			CHU, KIM KWOK	
	LVANIA AVENUE NW		ART UNIT	PAPER NUMBER
WASHINGTO!	N, DC 20004		2653	11
			DATE MAILED: 01/28/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/813,306	KASONO ET AL.				
Office Action Summary	Examiner	Art Unit				
	Kim-Kwok CHU	2653				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on <u>Amer</u>						
2a) This action is <b>FINAL</b> 2b) This a	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
<ul> <li>4) ☐ Claim(s) 2-8 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdraw</li> <li>5) ☐ Claim(s) is/are allowed.</li> <li>6) ☐ Claim(s) 2-8 is/are rejected.</li> <li>7) ☐ Claim(s) is/are objected to.</li> <li>8) ☐ Claim(s) are subject to restriction and/or</li> </ul>						
Application Papers	ologich requilonich	·				
9) The specification is objected to by the Examiner	•					
10) The drawing(s) filed on is/are: a) acce		Examiner.				
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correcti						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. §§ 119 and 120						
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of 13) Acknowledgment is made of a claim for domestic since a specific reference was included in the firs 37 CFR 1.78. a) The translation of the foreign language pro- 14) Acknowledgment is made of a claim for domestic reference was included in the first sentence of the	s have been received. s have been received in Application ity documents have been received in Application (PCT Rule 17.2(a)). of the certified copies not received priority under 35 U.S.C. § 119(at sentence of the specification or visional application has been received priority under 35 U.S.C. §§ 120	on No ed in this National Stage  d. e) (to a provisional application) in an Application Data Sheet. eived. and/or 121 since a specific				
Attachment(c)						
Attachment(s)    Notice of References Cited (PTO-892)   Notice of Draftsperson's Patent Drawing Review (PTO-948)   Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) 🔲 Notice of Informal P	(PTO-413) Paper No(s) atent Application (PTO-152)				

## Response to Remarks

- 1. Applicant's Remarks filed on January 2, 2004 (paper 10) have been fully considered.
- (a) Applicant states that the prior art of Van Rosmalen does not teach or suggest each feature of independent claim 3 as amended (page 6 of the Remarks, first 2 lines). Accordingly, the amended feature of Applicant's controller "for outputting no signal if the height of the foreign material is lower than the floating height of the immersion lens" is included in the prior art. For example, Van Rosmalen's detector 65 produces a signal which indicates the deviation between the position of the measurement spot 81 and the instantaneous position of the surface 1b (Fig. 1). However, when the disk surface variation such as foreign objects, dust or any kind of soiling is under a predetermined height limit, Van Rosmalen's controller 83 and 85 will not activate the coils 55a-55c because the immersion lens 17 is still under a reliable and efficient position (column 7, lines 50 and 51).

## Claim Rejections - 35 USC § 102

- 2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. § 102 that form the basis for the rejections under this section made in this Office action:
  - (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

3. Claims 2-8 are rejected under 35 U.S.C. § 102(e) as being anticipated by Van Rosmalen et al. (U.S. Patent 6, 130,418).

Rosmalen teaches an optical head apparatus having all of the elements and means as recited in claims 2-8. For example, Rosmalen teaches the following:

- (a) as in claim 3, the optical head is in an optical path of a light beam between an objective lens 15 and an information recording medium 1 (Fig. 1);
- (b) as in claim 3, an immersion lens 17 positioned at a height with respect to a surface of the information recording medium (Fig. 1; column 38-54);
- (c) as in claim 3, a detector 65 that measures a height of a foreign material to a surface of the information recording medium 1 (Fig. 1; detector 65 measures the recording medium's

surface in order to maintain a proper height; a foreign material such as dust molecules and surface unevenness are always exist in the air gap under detection by detector 65; column 2, lines 27-34, 38-48);

- (d) as in claim 3, a controller 83 for outputting a control signal corresponding to the height of the foreign material if the height of the foreign material is higher than the floating height of the immersion lens (Fig. 1; maintaining proper distance; column 2, lines 27-34, 38-48);
- (e) as in claim 3, the controller 83 for outputting no signal if the height of the foreign material is lower than the floating height of the immersion lens (Fig. 1; if the height of a foreign material is lower than the proper floating height, there is no need to change the height of the immersion lens 17; for example, data mark having a certain height will not trigger the controller as a foreign material having a height higher than the normal floating height);
- (f) as in claim 3, a movement unit 55a-55c that moves the immersion lens 17 to a position higher than the height of the foreign material, the movement unit moving the immersion lens by a distance corresponding to the control signal (Fig. 1; column 7, lines 13-17, 47-60);

- (g) as in claim 2, the movement unit includes a magnetic field generator 55a-55c for generating a magnetic field with an intensity corresponding to the control signal (Fig. 1);
- (h) as in claim 2, a magnet 53 integrally provided with the immersion lens 17 (Fig. 1; magnet 53 is joined with immersion lens 17);
- (i) as in claim 2, said controller 83 outputs the control signal for the magnetic field generator to generate a magnetic force for moving the immersion lens 17 to the position higher than the height of the foreign material in accordance with the detection result of said detector (Fig. 1; column 2, lines, 38-48);
- (j) as in claim 4, the detector 65 is arranged at an upstream position of the immersion lens 17 in a rotational direction of the information recording medium (Fig. 1);
- (k) as in claim 5, the detector 65 is arranged in a same radial position as the immersion lens (Fig. 1; detector 65 is located in a direction of the radius of the immersion lens 17);
- (1) as in claim 6, an illumination light source 71 that illuminates an incident light beam toward the surface of the information processing medium 1 (Fig. 1);
- (m) as in claim 6, the illumination light source 71 is oriented in a manner such that the incident light beam is reflected on the surface of the information recording medium in a

09/813,306 page 6 AU 2653

first direction when the information recording medium is free from foreign material, and, if a foreign material is disposed on the surface of the information recording medium, the incident light beam is scattered by the foreign material in a second direction toward the detector (Fig. 1; inherent property because a foreign material such as a protrusion on the medium surface 1 scatters an irradiated light beam in different directions);

- (n) as in claim 7, the detector 65 generates a light detection signal proportional to an amount of incident light that is scattered by the foreign material (Fig. 1; inherent property of the detector 65 because it detects the variation of light intensity which includes any scattered light as long as the scattered light is reflected back to the lens 59a); and
- (o) as in claim 8, a delay circuit that delays the control signal by a predetermined time (Fig. 1; the controller 83 inherently includes a delay circuit such as registers and processor unit which delay a control unit along the input to output operation).

4. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks Washington, D.C. 20231 Or faxed to:

(703) 872-9306 (for formal communications intended for entry. Or:

(703) 746-6909, (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2021 Crystal Drive, Arlington. VA., Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-4700.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kim CHU whose telephone number is (703) 305-3032 between 9:30 am to 6:00 pm, Monday to Friday.

KC 1/23/04

Kim-Kwok CHU Examiner AU2653 January 23, 2004

(703) 305-3032

WILLIAM KORZUCH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600